| | S | S | F | W | Res |
|------------------------------|---|---|---|---|-----|
| Black-throated Green Warbler | F | F | U | | S |
| Yellow-breasted Chat | C | C | 0 | | S |
| renow breasted char | | | | | |
| Towhees, Sparrows | | | | | |
| Eastern Towhee | C | C | C | C | Р |
| Chipping Sparrow | F | F | F | F | Р |
| Clay-colored Sparrow | | | R | | Μ |
| Field Sparrow | C | C | C | C | Р |
| Vesper Sparrow | R | | 0 | | Μ |
| Savannah Sparrow | U | | U | U | W |
| Grasshopper Sparrow | F | F | 0 | | S |
| Fox Sparrow | R | | U | U | W |
| Song Sparrow | C | C | C | C | Р |
| Lincoln's Sparrow | | | 0 | | Μ |
| Swamp Sparrow | U | | U | F | W |
| White-throated Sparrow | C | | C | C | W |
| White-crowned Sparrow | C | | C | C | W |
| Dark-eyed Junco | C | | C | C | W |
| Cardinals, Tanagers, Allies | | | | | |
| Summer Tanager | | | R | | Μ |
| Scarlet Tanager | F | F | F | | S |
| Northern Cardinal | C | С | С | C | Р |
| Rose-breasted Grosbeak | U | U | U | | Μ |
| Blue Grosbeak | F | F | U | | S |
| Indigo Bunting | C | С | С | | S |
| | | | | | |
| Blackbirds, Orioles | | | | | |
| Red-winged Blackbird | F | F | F | F | Р |
| Eastern Meadowlark | F | F | F | F | Р |
| Rusty Blackbird | | | R | R | W |
| Common Grackle | U | U | | | S |
| Brown-headed Cowbird | F | F | | | S |
| Orchard Oriole | U | U | | | S |
| Baltimore Oriole | 0 | 0 | | | S |

This list contains 169 species of birds observed by biologists with the Wildlife Commission. Some species were observed on land adjacent to the game land. Bird data for the game land are incomplete, and the checklist may not contain all credible sightings.

More info on birding in NC:

- ncwildlife.org/enjoying
- N.C. Birding Trail website, ncbirdingtrail.org
- Elisha Mitchell Audubon Society, emasnc.org

Sandy Mush Game Land is a state-owned, 2,795-acre game land located in Buncombe and Madison Counties. The N.C. Wildlife Resources Commission actively manages the tract with prescribed fire to provide quality early successional habitat. This area is home to several of North Carolina's bird Species of Greatest Conservation Need.

Sandy Mush Game Land map: http://www. ncwildlife.org/Portals/o/Hunting/Game-Land-Maps/Mountain/Sandy-Mush.pdf

More info on NC game lands: ncwildlife.org/hunting

Driving Directions:

From Asheville, head north on Riverside Drive (NC 251). Turn left onto Fletcher Martin Road, cross the French Broad River, and continue to Cedar Hill Road.

- To Cedar Hill Rd parking lots: Right on Cedar Hill Rd; look for pull offs north along Cedar Hill Rd.
- To Martin Candler parking lot: From Cedar Hill Rd, west on Martin Candler Rd; continue west 0.7 miles to Martin Candler Rd parking area on right.
- To Turkey Creek parking lot: From Cedar Hill Rd west onto Old Hwy 20/Marshall Rd to Turkey Creek parking area on the left.
- To Bear Creek Rd parking lot: West on Old Hwy 20/Marshall Rd; left onto Jarrett Farm Road. Continue west 0.3 miles; turn right onto Bear Creek Rd. At 1 mile, left into parking area for the clear-cut.

| Observer(s) |
|--------------------------|
| Date |
| Start/End Times/ |
| Weather — |
| Stationary or Traveling? |
| Distance Traveled |
| Locations |

Remarks:

BIRDS

OF

SANDY MUSH GAME LAND





A publication of the N.C. Wildlife Resources Commission

Print this PDF "To Fit"

Seasonal Occurrences and Relative Abundance of Bird Species on the Sandy Mush Game Land

| S- Spring | March-May | | | | | | | | |
|-------------------|---|--|--|--|--|--|--|--|--|
| s-Summer | June-August | | | | | | | | |
| F-Fall | September-November | | | | | | | | |
| W-Winter | December-February | | | | | | | | |
| C-Common | Detected regularly in suit- able habitat | | | | | | | | |
| F-Fairly Common | Likely to be detected in suitable habitat | | | | | | | | |
| U-Uncommon | Present, but may not be detected | | | | | | | | |
| 0-0ccasional | Detected only a few times during a season | | | | | | | | |
| R-Rare | Not detected every year | | | | | | | | |
| A-Accidental | Detected only once | | | | | | | | |
| W-Winter Resident | | | | | | | | | |
| S-Summer Resident | | | | | | | | | |

Species in **bold text** indicate Species of Greatest Conservation Need as identified in the NC Wildlife Action Plan (newildlife.org/plan).

P-Permanent Resident

M-Spring/Fall Migrant

| | S | S | F | W | Res |
|-----------------------|---|---|---|---|-----|
| Ducks, Geese, Swans | | | | | |
| Greater white-fronted | | | Α | | Μ |
| Goose | | | | | |
| Snow Goose | R | | | R | W |
| Canada Goose | F | F | F | F | Р |
| Wood Duck | F | F | F | F | Р |
| Mallard | 0 | 0 | 0 | 0 | Р |
| Blue-winged Teal | R | | | | Μ |
| Green-winged Teal | | R | | | W |
| Hooded Merganser | | R | | | W |
| Common Merganser | | | | R | W |
| New World Quails | | | | | |
| Northern Bobwhite | C | C | C | C | Р |
| Grouse and Allies | | | | | |
| Ruffed Grouse | C | С | C | C | Р |
| Wild Turkey | C | C | C | C | Р |

| | S | S | F I | W | Res | | S | S | F۱ | N | Res | | S | S | F V | / R | les | | S : | s I | F W | Res |
|--------------------------------------|----|---|-----|---|------|--------------------------|---|---|----|--------|--------|---|--------|---|----------|-----|---------------|--|-----|----------|-----|--------|
| Pigeons and Doves | | | | | - 1 | Sharp-shinned Hawk | | | | F | Р | Fish Crow | | R | | | Р | Starlings | | | | |
| Rock Pigeon | | R | | | P | Cooper's Hawk | | F | | F | Р | Common Raven | 0 | | 0 (|) | P | European Starling | C (| | C C | P |
| Mourning Dove | С | C | С | C | P | Red-shouldered Hawk | | F | | F | P | | | | | | | | | | | |
| | | | | | | Broad-winged Hawk | | F | | _ | S | Swallows | | | | | | Waxwings | | | | |
| Cuckoos | | | | | | | C | C | | C | P | Purple Martin | | F | 0 | | S | Cedar Waxwing | C (| | C F | P |
| | С | | | | S | Golden Eagle | | | | R | W | Tree Swallow | F | | | | S | | | | | |
| | С | C | C | | | Ovels | | | | | | N. Rough-winged Swallow | F | F | | | S | Old World Sparrows | | | | _ |
| Goatsuckers | | | | | s | Owls Barn Owl | | U | | | Р | Bank Swallow Cliff Swallow | R | _ | | | M | House Sparrow | | (|) | Р |
| Eastern Whip-poor-Will | F | U | | | ۱ ، | Eastern Screech-Owl | | C | | U | P P | Barn Swallow | _ | R | | | S | | | | | |
| Swifts Unmminahirds | | | | | | Great Horned Owl | | F | | F | P | Barri Swallow | F | Г | | | S | Wagtails, Pipits | | ١, | | 44 |
| Swifts, Hummingbirds Chimney Swift | С | c | _ | | s | Barred Owl | | F | | r F | r P | Chickadees, Titmice | | | | | | American Pipit | | ľ | 3 | М |
| | C | | | | S | Northern Saw-whet Owl | | | R | | r P | Carolina Chickadee | c | _ | C (| | Р | et l | | | | |
| Hummingbird | | C | | | ا ` | Northern Saw-whet Owr | | | 11 | | ' | Tufted Titmouse | | C | | | , P | Finches | UI | | J U | P |
| Hummingbird | | | | | | Kingfishers, Woodpeckers | | | | | | Turted Tranouse | C | _ | | • | Ί. | House Finch | 0 | | 0 0 | |
| Cranes, Rails | | | | | | | c | С | c | | Р | Nuthatches | | | | | | Purple Finch Red Crossbill | RI | | | M |
| | R | | | R | w | Red-headed Woodpecker | | R | | | М | Red-breasted Nuthatch | U | | υι | ı | $_{W}$ | Pine Siskin | 0 | | 0 0 | |
| Sandiiii Crane | ., | | | | | • | | C | | C | Р | White-breasted Nuthatch | | C | | | P | American Goldfinch | C (| | | |
| Plovers, Sandpipers | | | | | | Yellow-bellied Sapsucker | C | | | C | W | Brown-headed Nuthatch | | | F F | | P | American dolumen | | • | | , |
| | 0 | | | 0 | м | Downy Woodpecker | | C | | C | Р | | | | | | | Wood Warblers | | | | |
| Upland Sandpiper | | | R | | м | Hairy Woodpecker | | F | | F | Р | Treecreepers | | | | | | Ovenbird | C (| 2 | | S |
| | U | | | | М | Northern Flicker | C | C | С | C | Р | Brown Creeper | U | | υl | J | w | Worm-eating Warbler | F | | | S |
| | U | U | U | U | Р | Pileated Woodpecker | C | C | С | C | Р | | | | | | | Louisiana Waterthrush | F I | = | | S |
| Spotted Sandpiper | 0 | 0 | | | М | | | | | | | Wrens | | | | | | Golden-winged Warbler | | F | 3 | М |
| Solitary Sandpiper | R | R | | | М | Falcons | | | | | | House Wren | U | F | U | | s | Blue-winged Warbler | Ul | J | | S |
| | | | | | | American Kestrel | C | C | С | C | Р | Winter Wren | U | R | Uι | J | w | Black-and-White Warbler | F | = | | S |
| Loons | | | | | | Peregrine Falcon | | | R | | Μ | Marsh Wren | | | R | | М | Tennessee Warbler | | F | = | М |
| Common Loon | R | | | | М | | | | | | | Carolina Wren | C | C | C | - | P | Orange-crowned Warbler | | F | 3 | М |
| | | | | | | Flycatchers | | | | | | | | | | | | Nashville Warbler | | (|) | М |
| Cormorants | | | | | | Eastern Wood-Pewee | | F | U | | S | Gnatcatchers, Kinglets | | | | | | Kentucky Warbler | 0 (| С | | S |
| Double-crested Cormorant | | R | R | | М | • | С | | | | S | Blue-gray Gnatcatcher | | C | | | S | Common Yellowthroat | C (| | | S |
| | | | | | | Willow Flycatcher | | R | | | Μ | Golden-crowned Kinglet | | F | | | W | Hooded Warbler | C (| | | S |
| Bitterns, Herons, Egrets | | | | _ | | Least Flycatcher | R | | | _ | Μ | Ruby-crowned Kinglet | U | U | Uι | J | W | American Redstart | U | J F | • | S |
| | F | | F | F | P | | | C | C | C | P | | | | | | | Cape May Warbler | | F | | М |
| Great Egret | | R | | | M | Great-crested Flycatcher | F | | | | S | Thrushes | _ | _ | | | | Northern Parula | C (| | | S |
| Green Heron | | U | | | М | Eastern Kingbird | F | r | | | S | Eastern Bluebird | | C | C (| | P | Magnolia Warbler | | | J | М |
| N W 1137 k | | | | | | Vireos | | | | | | Veery | R | | _ | | M | Bay-breasted Warbler | | |) | М |
| New World Vultures | С | _ | | _ | Р | White-eyed Vireo | _ | С | _ | | S | Gray-cheeked Thrush | | | R | | M | Blackburnian Warbler | 0 | |) | М |
| | | | C | C | P | Yellow-throated Vireo | U | | | | S | Swainson's Thrush Hermit Thrush | | | F | | $\frac{M}{W}$ | Yellow Warbler | _ | | 0 | М |
| Turkey Vulture | | C | | C | r | Blue-headed Vireo | | F | F | | S | Wood Thrush | U F | | U L U | | S | Chestnut-sided Warbler | 0 (| | | M |
| Osprovs Kitos Faglos Hawk | | | | | | Philadelphia Vireo | | | R | | М | American Robin | | C | | | ³ | Blackpoll Warbler | , | ا د د | | M |
| Ospreys, Kites, Eagles, Hawk | U | Ω | 0 | | м | Red-eyed Vireo | c | С | | | S | American Robin | C | C | | • | ′ | Black-throated Blue Warbler | _ ' |) C | | M |
| Osprey Swallow-tailed Kite | 0 | J | Α | | M | Ned cyca viieo | | | _ | | , | Mockingbirds, Thrashers | | | | | | Palm Warbler | r | F J | | M P |
| Mississippi Kite | | | R | | M | Jays, Crows, Ravens | | | | | | Gray Catbird | F | С | F | | s | Pine Warbler | F 1 | F (F | | W |
| ''' | R | | R | | P | Blue Jay | C | С | c | C | Р | Brown Thrasher | | F | | | , P | Yellow-rumped WarblerYellow-throated Warbler | F I | | | S |
| • | U | | U | U | w | , | | C | | | Р | Northern Mockingbird | | C | | | , P | Yellow-throated Warbler | C (| | | S |
| Northern Harrier | - | | | Ū | ., 1 | | - | _ | - | | | Northern Mockingbild | C | | _ (| - | | Prairie wardier | C (| _ (| | 3 |